

Measuring Collaborative Integration to Inform Needs Assessment: The Massachusetts Medication Safety Alliance Promotes Responsive Regulation in Nursing Homes

Teresa Anderson, Ph.D., University of Massachusetts Medical School Michael S. Hutton-Woodland, Ph.D., Woodland Associates

American Evaluation Association Conference Anaheim, CA November 4, 2011

Project Sponsor

This study was made possible with funding from the National Council of State Boards of Nursing (NCSBN) Center for Regulatory Excellence Grant Program under its award # P20005, MBORN Nursing Patient Safety Initiative: Promoting Safe Medication Administration in MA Nursing Homes.

Disclosures and Acknowledgements

- The authors have nothing to disclose and no conflicts of interest.
- The authors wish to acknowledge the contribution of the Board of Registration in Nursing and in particular Rula Harb, MS. R.N., Carol Silveira, M.S. R.N.
- Rebecca Woodland, Ph.D. (formerly Gajda) developed the Strategic Alliance Formative Assessment Rubric (SAFAR) and assisted in developing the Medication Safety Alliance study design.

Reference: Gajda, R. (2004). Utilizing collaboration theory to evaluate strategic alliances. *American Journal of Evaluation*, 25(1), 65-77.

Medication Safety Alliance Purpose

Promote safe medication administration by nurses practicing in Massachusetts nursing homes

- Foster <u>facility-based</u> error recognition, disclosure and systems improvement
- Increase medication error reporting
- Plan, develop and implement Nurse Employer Medication Safety Partnership Model
- Increase <u>Responsive Regulation</u> Capacity


Reference: Anderson, T., Woodland, R., Silveira, C., Handler, S., & Hutton, M. (2011). Massachusetts Nurse Regulators Promote Safe Medication Administration. Journal of Nursing Regulation, 2.

Responsive Regulation

- Healy and Braithwaite's 'responsive regulatory approach' is reputed to promote safe health care.
- Provider self-regulation is its goal
- Responsive regulation relies on open communication, shared decision making and leadership.
- Medication Safety Alliance Strategic Plan Objective Three: "By June, 2012, begin exploration of a coordinated approach among the Boards of Registration in Nursing, Pharmacy, and Nursing Home Administration and the Division of Health Care Quality to the resolution of all complaints involving nursing home medication systems."

References: Healy, J., & Braithwaite, J. (2006). Designing safer health care through responsive regulation. *The Medical Journal of Australia, 184 (10 Suppl)*, S56-59.

Massachusetts Board of Registration in Nursing (April, 2011). Promoting Safe Medication Administration in Massachusetts Nursing Homes Systematic Plan from Phase I Completion (request via www.mass.gov/dph/boards/rn)



CENTER FOR HEALTH POLICY AND RESEARCH

Collaboration Evaluation and Improvement Framework

- Collaboration is an imperative that can be systematically developed and monitored.
- The level of integration is determined by the group members' rating of purpose, strategies and tasks, leadership and decision-making, and interpersonal communication.
- Strategic Alliance Formation Assessment Rubric (SAFAR)
- 5 Levels of Integration: 'Networking' (1) to 'Unifying'(5).
- Baseline measures for two levels: current and projected.
- Monitor measures over time and make adjustments to project structure as needed.


Reference: Gajda, R. (2004). Utilizing collaboration theory to evaluate strategic alliances. *American Journal of Evaluation*, 25(1), 65-77.

6 Principles of Organizational Collaboration

- 1. It is an imperative
- 2. It occurs in a complex context
- 3. There are stages of development
- 4. There are measurable levels of integration
- 5. A Human Endeavor
- 6. Cycle of Inquiry

COMMUNITIES OF PRACTICE (Teams) ENGAGE IN A CYCLE OF INQUIRY (DDAE)

They must do much more than *Meet!*



SIX CEIF STEPS

- 1. Increase Collaboration Literacy.
- 2. Identify and Inventory Communities of Practice members within the Medication Safety Alliance.
- 3. Formatively Assess the Need for Collaboration.
- 4. Assess Baseline and Project Levels of Integration.
- 5. Report Data to Stakeholders.
- 6. Monitor Levels of Integration over Time.

References: Gajda, R. (2004). Utilizing collaboration theory to evaluate strategic alliances. *American Journal of Evaluation, 25*(1), 65-77.


Gajda, R. and Koliba, C. (2007). Evaluating the imperative of Intraorganizational Collaboration: A School Improvement Perspective. *American Journal of Evaluation, 28*(1), 26-44.

Medication Safety Alliance Needs Assessment

How do nurses working in nursing homes perceive medication error reporting and patient safety culture?

Why Collaboration?

Reference: Anderson, T., Woodland, R., Silveira, C., Handler, S., & Hutton, M. (2011). Massachusetts Nurse Regulators Promote Safe Medication Administration. Journal of Nursing Regulation, 2.



Collaboration Quiz


- Importance of collaboration
- Current Inter-organizational Collaboration Description
- How should Collaboration look to ensure project success?
- Current rating on 5 elements
- A metaphor
- Describe in 20 seconds what you want to accomplish in this project.

Evaluation Question


What level of integration of collaboration is needed among Alliance members to implement and to sustain the NEMSP?

COMMONWEALTH MEDICINE CAL SCHOOL CENTER FOR HEALTH POLICY AND RESEARCH


Partnership Level of Collaboration Health Care Quality/Board of Nursing



SAFAR Results for Alliance



Communities of Practice



Summary and Contacts

- Assessing the need for collaboration is important.
- The CEIF can assist evaluators and stakeholders to identify the necessary level of collaborative integration.

- Teresa Anderson <u>terri.anderson@umassmed.edu</u>
- Michael Hutton-Woodland: michaelhuttonwoodland@gmail.com